

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #1: Increase number of Family Planning Users

CY 2021 Goal reflects a 2% increase from CY 2019

In North Carolina, the number of family planning users has decreased by 25% since CY 2018.

<u>County/District Health Department</u>	<u>CY 2018**</u>	<u>CY 2019**</u>	<u>CY 2020*</u>	<u>% change from first period to most recent period</u>	<u>CY 2021 Goal</u>
NORTH CAROLINA	81,571	78,775	61,186	-25.0	80,351
ALEXANDER	312	310	251	-19.6	316
ALLEGHANY	152	125	--	--	128
ASHE	190	174	--	--	177
AVERY	273	248	--	--	253
BUNCOMBE	1,392	1,396	1,064	-23.6	1,424
BURKE	559	564	519	-7.2	575
CALDWELL	878	822	713	-18.8	838
CATAWBA	923	766	808	-12.5	781
CHEROKEE	501	508	393	-21.6	518
CLAY	209	246	253	21.1	251
CLEVELAND	1,741	1,606	1,252	-28.1	1,638
GRAHAM	122	102	93	-23.8	104
HAYWOOD	720	653	528	-26.7	666
HENDERSON	828	810	663	-19.9	826
JACKSON	524	544	369**	-29.6	555
MCDOWELL	227	197	--	--	201
MACON	422	385	357	-15.4	393
MADISON	235	248	200	-14.9	253
MITCHELL	234	199	--	--	203
POLK	12	7	--	--	7
RUTHERFORD	536	417	--	--	425
SWAIN	182	207	160	-12.1	211
TRANSYLVANIA	324	280	117	-63.9	286
WATAUGA	411	361	--	--	368
WILKES	499	512	399	-20.0	522
YANCEY	192	167	--	--	170
APPALACHIAN DISTRICT	753	660	294	-61.0	673
FOOTHILLS HEALTH DISTRICT	771	614	563	-27.0	626
TOE RIVER DISTRICT	654	614	370	-43.4	626

(*)Data Source Self-Report

(**)Data Source LHD-HSA

(***) Data Souce HIS

Note: Counties composing districts not available prior to 2018 or 2020

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #1: Increase number of Family Planning Users

CY 2021 Goal reflects a 2% increase from CY 2019

In North Carolina, the number of family planning users has decreased by 25% since CY 2018.

<u>County/District Health Department</u>	<u>CY 2018**</u>	<u>CY 2019**</u>	<u>CY 2020*</u>	<u>% change from first period to most recent period</u>	<u>CY 2021 Goal</u>
NORTH CAROLINA	81,571	78,775	61,186	-25.0	80,351
ALAMANCE	1,731	1,892	890**	-48.6	1,930
CASWELL	372	341	230	-38.2	348
CHATHAM	467	534	422	-9.6	545
DAVIDSON	1,238	1,418	1,011	-18.3	1,446
DAVIE	318	337	285	-10.4	344
DURHAM	2,747	2,986	2,541	-7.5	3,046
FORSYTH	2,072	2,341	1,956	-5.6	2,388
FRANKLIN	625	597	441	-29.4	609
GRANVILLE	479	426	--	--	435
GUILFORD	4,948	4,493	2,710	-45.2	4,583
IREDELL	474	478	427	-9.9	488
JOHNSTON	1,390	1,478	958	-31.1	1,508
LEE	404	410	286	-29.2	418
ORANGE	859	708	649	-24.4	722
PERSON	562	288	111	-80.2	294
RANDOLPH	930	829	630	-32.3	846
ROCKINGHAM	769	630	559	-27.3	643
ROWAN	1,173	1,139	920**	-21.6	1,162
STOKES	322	353	249	-22.7	360
SURRY	877	831	714	-18.6	848
VANCE	363	379	--	--	387
WAKE	6,536	6,456	3,481	-46.7	6,585
WARREN	299	296	231	-22.7	302
YADKIN	222	205	181	-18.5	209
GRANVILLE-VANCE DISTRICT	824	805	464	-43.7	821

(*)Data Source Self-Report

(**)Data Source LHD-HSA

(***) Data Souce HIS

Note: Counties composing districts not available prior to 2018 or 2020

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #1: Increase number of Family Planning Users

CY 2021 Goal reflects a 2% increase from CY 2019

In North Carolina, the number of family planning users has decreased by 25% since CY 2018.

<u>County/District Health Department</u>	<u>CY 2018**</u>	<u>CY 2019**</u>	<u>CY 2020*</u>	<u>% change from first period to most recent period</u>	<u>CY 2021 Goal</u>
NORTH CAROLINA	81,571	78,775	61,186	-25.0	80,351
ANSON	518	517	482	-6.9	527
BLADEN	375	304	380	1.3	310
BRUNSWICK	878	875	900	2.5	893
CABARRUS	832	595	733	-11.9	607
COLUMBUS	502	513	503	0.2	523
CUMBERLAND	2,078	2,101	1421**	-31.6	2,143
DUPLIN	669	637	521	-22.1	650
GASTON	3,089	3,297	2,422	-21.6	3,363
HARNETT	970	953	964	-0.6	972
HOKE	499	540	517	3.6	551
LENOIR	443	380	283	-36.1	388
LINCOLN	422	460	478	13.3	469
MECKLENBURG	4,555	3,419	2,343	-48.6	3,487
MONTGOMERY	523	434	345	-34.0	443
MOORE	556	495	320	-42.4	505
NEW HANOVER	898	1,005	882	-1.8	1,025
PENDER	546	653	793	45.2	666
RICHMOND	457	461	387	-15.3	470
ROBESON	1,451	1,529	1,340	-7.6	1,560
SAMPSON	1,015	928	855	-15.8	947
SCOTLAND	264	307	296	12.1	313
STANLY	327	348	230**	-29.7	355
UNION	1,121	1,121	953	-15.0	1,143

(*)Data Source Self-Report

(**)Data Source LHD-HSA

(***) Data Source HIS

Note: Counties composing districts not available prior to 2018 or 2020

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #1: Increase number of Family Planning Users

CY 2021 Goal reflects a 2% increase from CY 2019

In North Carolina, the number of family planning users has decreased by 25% since CY 2018.

<u>County/District Health Department</u>	<u>CY 2018**</u>	<u>CY 2019**</u>	<u>CY 2020*</u>	<u>% change from first period to most recent period</u>	<u>CY 2021 Goal</u>
NORTH CAROLINA	81,571	78,775	61,186	-25.0	80,351
BEAUFORT	871	905	774	-11.1	923
BERTIE	145	120	--	--	122
CAMDEN	70	62	--	--	63
CARTERET	473	462	478	1.1	471
CHOWAN	179	148	--	--	151
CRAVEN	1,630	1,571	1,351	-17.1	1,602
CURRITUCK	172	170	--	--	173
DARE	701	694	595	-15.1	708
EDGEcombe	504	465	322	-36.1	474
GATES	140	124	--	--	126
GREENE	334	315	227**	-32.0	321
HALIFAX	602	534	375	-37.7	545
HERTFORD	100	59	--	--	60
HYDE	100	109	82	-18.0	111
JONES	51	62	45	-11.8	63
MARTIN	349	349	--	--	356
NASH	1,796	1,760	1,549	-13.8	1,795
NORTHAMPTON	104	141	123	18.3	144
ONSLOW	1,110	1,149	1,539	38.6	1,172
PAMLICO	67	65	43	-35.8	66
PASQUOTANK	734	741	--	--	756
PERQUIMANS	157	177	--	--	181
PITT	1,665	1,275	1123**	-32.6	1,301
TYRRELL	151	138	--	--	141
WASHINGTON	266	239	--	--	244
WAYNE	2,075	2,094	1,724	-16.9	2,136
WILSON	1,262	1,276	1,072	-15.1	1,302
ALBEMARLE REGIONAL HEALTH SERVICES	1,475	1,601	1,091	-26.0	1,633
MARTIN-TYRRELL-WASHINGTON DISTRICT	754	726	613	-18.7	741

(*)Data Source Self-Report

(**)Data Source LHD-HSA

(***) Data Souce HIS

Note: Counties composing districts not available prior to 2018 or 2020

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #2a: Reduce Pregnancies among Adolescent Females Age 17 and under (rate per 1,000 females)

Numerator (NUM) equals number of adolescent pregnancies among females age 10 to 17 years

Denominator (DEN) equals the number of females age 10 to 17 years

In North Carolina, the average rate of teen pregnancies has decreased by 42.5% since CY11-CY13.

County/District Health Department	CY 11-CY13	CY 14-CY16	CY17- CY19	% change from first 3-year period to most recent 3-year period	CY 2019		
	Average Rate	Average Rate	Average Rate		Numerator	Denominator	Rate
North Carolina	7.5	5.6	4.3	-42.5	2136	521241	4
ALEXANDER	5.5	5.2	4.6	-17.8	6	1790	3.4*
ALLEGHANY	7.1	9.2	6.8	-3.7	4	428	9.3*
ASHE	7.6	4.9	3.1	-58.9	5	1160	4.3*
AVERY	6.8	4.3	5.2	-24.6	3	638	4.7*
BUNCOMBE	6.6	5.0	3.6	-45.7	28	10615	2.6
BURKE	6.9	5.5	3.8	-44.5	18	3853	4.7*
CALDWELL	8.6	5.4	3.9	-54.9	17	3841	4.4*
CATAWBA	7.9	4.7	3.7	-52.8	32	8090	4.0
CHEROKEE	3.5	7.7	6.2	79.4	6	1132	5.3*
CLAY	2.4	0.8	6.0	153.4	2	415	4.8*
CLEVELAND	8.1	7.1	7.4	-8.7	36	4974	7.2
GRAHAM	4.9	5.7	7.6	55.8	3	385	7.8*
HAYWOOD	7.1	4.7	2.7	-62.6	6	2511	2.4*
HENDERSON	6.9	4.4	3.8	-44.6	16	5103	3.1*
JACKSON	9.9	7.2	5.0	-50.2	6	1533	3.9*
MACON	8.2	6.7	5.7	-31.0	9	1560	5.8*
MADISON	5.7	2.5	2.3	-59.4	5	846	5.9*
MCDOWELL	7.1	5.9	5.0	-29.7	11	2036	5.4*
MITCHELL	8.6	3.2	5.4	-37.5	4	621	6.4*
POLK	4.5	4.2	3.7	-18.5	5	798	6.3*
RUTHERFORD	8.6	5.6	4.3	-49.7	12	3251	3.7*
SWAIN	15.7	11.2	9.2	-41.8	5	649	7.7*
TRANSYLVANIA	4.5	3.7	2.1	-53.0	3	1264	2.4*
WATAUGA	5.4	3.4	0.8	-85.0	0	1640	0.0*
WILKES	8.5	7.7	5.6	-34.4	13	3338	3.9*
YANCEY	11.8	5.6	4.6	-61.2	2	712	2.8*
APPALACHIAN DISTRICT	6.5	6.5	2.5	-62.1	9	3228	2.8*
FOOTHILLS HEALTH DISTRICT	7.5	9.3	4.5	-40.8	28	6085	4.6
TOE RIVER DISTRICT	9.2	2.9	5.0	-45.6	9	1971	4.6*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #2a: Reduce Pregnancies among Adolescent Females Age 17 and under (rate per 1,000 females)

Numerator (NUM) equals number of adolescent pregnancies among females age 10 to 17 years

Denominator (DEN) equals the number of females age 10 to 17 years

In North Carolina, the average rate of teen pregnancies has decreased by 42.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	7.5	5.6	4.3	-42.5	2136	521241	4
ALAMANCE	7.6	6.3	4.9	-35.3	37	8434	4.4
CASWELL	6.4	4.3	3.4	-46.9	5	989	5.1*
CHATHAM	6.1	4.1	2.4	-60.6	8	3657	2.2*
DAVIDSON	7.1	5.9	4.1	-42.4	29	8428	3.4
DAVIE	5.1	4.4	2.2	-57.7	7	2118	3.3*
DURHAM	10.7	7.3	5.1	-51.9	74	13518	5.5
FORSYTH	8.7	6.2	5.1	-41.2	94	20049	4.7
FRANKLIN	6.6	5.1	3.8	-42.3	12	3540	3.4*
GRANVILLE	8.0	4.4	3.6	-54.8	8	2871	2.8*
GUILFORD	7.0	5.4	4.4	-37.0	110	27227	4.0
IREDELL	6.2	3.8	3.0	-51.6	27	9887	2.7
JOHNSTON	7.9	4.5	2.9	-62.8	37	12265	3.0
LEE	9.3	6.7	6.0	-36.2	18	3225	5.6*
ORANGE	4.1	2.6	1.8	-54.5	18	6842	2.6*
PERSON	9.0	7.7	5.0	-44.9	10	1836	5.4*
RANDOLPH	8.8	6.3	3.8	-57.2	21	7350	2.9
ROCKINGHAM	7.6	6.2	3.7	-50.7	19	4236	4.5*
ROWAN	8.0	7.5	5.6	-29.9	37	7235	5.1
STOKES	4.9	3.7	3.7	-23.6	5	2029	2.5*
SURRY	5.7	4.1	4.9	-13.1	15	3542	4.2*
VANCE	14.1	9.3	8.1	-42.1	11	2412	4.6*
WAKE	4.8	3.6	2.6	-45.9	149	60830	2.4
WARREN	11.9	11.1	5.4	-54.6	5	860	5.8*
YADKIN	5.7	6.2	6.0	5.4	5	1736	2.9*
GRANVILLE-VANCE DISTRICT	10.8	11.9	5.7	-47.4	19	5283	3.6*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #2a: Reduce Pregnancies among Adolescent Females Age 17 and under (rate per 1,000 females)

Numerator (NUM) equals number of adolescent pregnancies among females age 10 to 17 years

Denominator (DEN) equals the number of females age 10 to 17 years

In North Carolina, the average rate of teen pregnancies has decreased by 42.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	7.5	5.6	4.3	-42.5	2136	521241	4
ANSON	10.7	8.0	7.5	-29.5	8	1123	7.1*
BLADEN	9.1	6.8	3.4	-62.5	6	1632	3.7*
BRUNSWICK	6.8	6.5	4.2	-38.0	18	4792	3.8*
CABARRUS	5.3	4.6	3.3	-38.3	49	12719	3.9
COLUMBUS	8.6	8.8	6.2	-28.0	20	2728	7.3
CUMBERLAND	8.6	6.4	4.6	-45.9	76	16904	4.5
DUPLIN	10.6	9.0	6.3	-40.2	25	3112	8.0
GASTON	7.2	5.9	5.0	-31.0	53	11360	4.7
HARNETT	7.6	5.1	4.1	-45.8	30	7482	4.0
HOKE	9.7	6.0	4.5	-53.4	11	2906	3.8*
LENOIR	12.1	8.1	6.5	-46.6	18	2835	6.3*
LINCOLN	5.6	4.0	4.5	-19.2	19	4194	4.5*
MECKLENBURG	7.0	5.7	4.9	-29.6	264	57011	4.6
MONTGOMERY	14.6	8.3	2.5	-83.0	3	1467	2.0*
MOORE	6.5	3.8	2.7	-58.2	15	4728	3.2*
NEW HANOVER	5.8	4.2	3.5	-40.6	31	9726	3.2
PENDER	5.7	4.6	3.5	-39.6	12	3242	3.7*
RICHMOND	13.5	10.1	7.0	-48.4	15	2292	6.5*
ROBESON	13.8	11.0	7.9	-42.6	47	7158	6.6
SAMPSON	11.6	9.0	7.4	-36.4	20	3433	5.8
SCOTLAND	16.6	10.9	8.0	-51.7	12	1677	7.2*
STANLY	7.3	4.7	4.0	-45.6	13	3094	4.2*
UNION	4.2	3.3	2.4	-43.2	37	16163	2.3

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #2a: Reduce Pregnancies among Adolescent Females Age 17 and under (rate per 1,000 females)

Numerator (NUM) equals number of adolescent pregnancies among females age 10 to 17 years

Denominator (DEN) equals the number of females age 10 to 17 years

In North Carolina, the average rate of teen pregnancies has decreased by 42.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	7.5	5.6	4.3	-42.5	2136	521241	4
BEAUFORT	8.1	6.1	5.8	-28.1	15	2224	6.7*
BERTIE	9.6	7.7	5.7	-41.3	5	756	6.6*
CAMDEN	2.6	1.6	2.2	-17.1	2	608	3.3*
CARTERET	5.3	4.0	2.7	-49.8	8	2774	2.9*
CHOWAN	9.7	8.5	5.8	-40.3	2	655	3.1*
CRAVEN	8.2	6.0	4.6	-43.9	21	4724	4.4
CURRITUCK	9.3	2.6	0.9	-89.8	3	1380	2.2*
DARE	8.1	5.1	2.0	-75.4	2	1709	1.2*
EDGECOMBE	12.5	9.6	7.2	-42.5	18	2677	6.7*
GATES	3.2	5.6	2.3	-28.8	0	559	0.0*
GREENE	13.4	7.1	5.8	-56.6	6	978	6.1*
HALIFAX	12.1	7.9	8.4	-30.2	17	2455	6.9*
HERTFORD	11.5	6.8	6.3	-45.1	10	1057	9.5*
HYDE	4.2	6.1	3.1	-27.3	1	206	4.9*
JONES	7.9	3.7	4.7	-40.9	3	414	7.2*
MARTIN	7.2	9.4	5.9	-17.6	9	1050	8.6*
NASH	11.0	6.9	5.2	-52.6	23	4738	4.9
NORTHAMPTON	7.8	9.0	8.1	4.1	6	750	8.0*
ONSLOW	7.1	5.1	3.6	-49.4	26	8682	3.0
PAMLICO	6.8	5.4	4.2	-37.9	0	478	0.0*
PASQUOTANK	7.3	6.7	2.3	-68.4	2	1863	1.1*
PERQUIMANS	3.8	6.1	4.9	30.5	1	622	1.6*
PITT	8.6	6.3	5.5	-36.8	45	8532	5.3
TYRRELL	4.3	11.4	6.5	51.3	1	155	6.5*
WASHINGTON	13.1	11.1	10.9	-16.7	7	554	12.6*
WAYNE	9.5	6.6	6.5	-31.0	39	6308	6.2
WILSON	11.3	9.2	7.5	-33.5	29	4256	6.8
ALBEMARLE REGIONAL HEALTH SERVICES	7.8	9.7	3.5	-55.3	25	7500	3.3
MARTIN-TYRRELL-WASHINGTON DISTRICT	8.8	14.6	7.5	-15.0	17	1759	9.7*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #2b: Pregnancy age 18 and 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 18 to 19 years

Denominator (Den) equals the number of females age 18 to 19 years

In North Carolina, the average rate of pregnancies for women age 18 and 19 has decreased by 33.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
NORTH CAROLINA	67.7	53.7	45.0	-33.5	6130	143182	43
ALEXANDER	89.2	67.9	60.4	-32.2	15	353	42.5*
ALLEGHANY	87.5	104.2	78.9	-9.9	5	96	52.1*
ASHE	99.8	73.2	45.8	-54.2	12	233	51.5*
AVERY	32.2	46.2	26.1	-19.1	5	253	19.8*
BUNCOMBE	61.5	46.1	39.4	-36.0	108	2854	37.8
BURKE	90.9	87.2	73.1	-19.7	60	742	80.9
CALDWELL	102.2	93.9	67.7	-33.8	57	807	70.6
CATAWBA	83.8	63.9	45.7	-45.4	92	1878	49.0
CHEROKEE	94.9	60.5	63.4	-33.2	12	223	53.8*
CLAY	86.8	69.7	69.8	-19.6	5	93	53.8*
CLEVELAND	86.8	67.4	64.9	-25.2	92	1245	73.9
GRAHAM	140.5	93.6	103.1	-26.6	9	83	108.4*
HAYWOOD	101.9	68.6	55.3	-45.8	25	472	53.0
HENDERSON	90.8	63.7	50.6	-44.3	51	973	52.4
JACKSON	25.7	19.8	19.7	-23.4	24	1576	15.2
MACON	95.6	69.3	68.1	-28.7	17	298	57.0*
MADISON	54.6	39.9	39.1	-28.4	11	344	32.0*
MCDOWELL	101.4	84.2	64.3	-36.6	36	453	79.5
MITCHELL	85.4	75.6	63.3	-25.8	9	123	73.2*
POLK	59.9	67.5	48.7	-18.7	9	162	55.6*
RUTHERFORD	98.8	86.6	74.3	-24.9	53	700	75.7
SWAIN	129.5	126.0	71.7	-44.6	8	163	49.1*
TRANSYLVANIA	55.1	51.2	37.6	-31.7	11	346	31.8*
WATAUGA	7.8	6.3	6.6	-15.8	13	2591	5.0*
WILKES	97.8	98.5	75.0	-23.3	49	676	72.5
YANCEY	97.8	92.5	76.6	-21.7	17	175	97.1*
APPALACHIAN DISTRICT	17.7	15.1	12.2	-30.7	30	2920	10.3
FOOTHILLS HEALTH DISTRICT	94.3	83.0	67.5	-28.4	98	1315	74.5
TOE RIVER DISTRICT	65.4	66.2	49.9	-23.7	31	551	56.3

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #2b: Pregnancy age 18 and 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 18 to 19 years

Denominator (Den) equals the number of females age 18 to 19 years

In North Carolina, the average rate of pregnancies for women age 18 and 19 has decreased by 33.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
NORTH CAROLINA	67.7	53.7	45.0	-33.5	6130	143182	43
ALAMANCE	56.6	39.0	31.5	-44.3	96	3616	26.5
CASWELL	73.6	70.2	64.6	-12.3	9	195	46.2*
CHATHAM	61.6	44.1	32.8	-46.9	19	706	26.9*
DAVIDSON	83.1	70.4	57.0	-31.5	100	1740	57.5
DAVIE	72.6	58.8	49.7	-31.6	16	435	36.8*
DURHAM	57.9	42.5	35.3	-39.1	182	5461	33.3
FORSYTH	58.3	44.5	37.0	-36.6	227	6354	35.7
FRANKLIN	65.7	52.5	42.0	-36.2	39	806	48.4
GRANVILLE	75.4	65.1	62.3	-17.4	31	590	52.5
GUILFORD	50.3	38.6	31.2	-38.0	335	11110	30.2
IREDELL	75.8	62.4	44.6	-41.2	86	2009	42.8
JOHNSTON	87.5	64.9	52.5	-39.9	124	2283	54.3
LEE	116.6	89.7	62.0	-46.8	32	683	46.9
ORANGE	13.1	9.1	7.9	-39.5	40	5173	7.7
PERSON	101.9	96.7	89.0	-12.7	34	381	89.2
RANDOLPH	96.3	78.3	56.8	-41.0	86	1538	55.9
ROCKINGHAM	91.7	68.6	62.5	-31.8	53	925	57.3
ROWAN	78.0	69.4	59.8	-23.4	90	1619	55.6
STOKES	67.3	47.0	45.0	-33.1	16	392	40.8*
SURRY	94.8	78.2	65.2	-31.2	52	766	67.9
VANCE	103.3	107.5	89.6	-13.3	55	553	99.5
WAKE	42.9	34.7	29.4	-31.6	452	15348	29.5
WARREN	89.8	62.6	53.1	-40.8	5	179	27.9*
YADKIN	89.7	67.9	72.4	-19.4	22	386	57.0
GRANVILLE-VANCE DISTRICT	89.1	85.5	75.5	-15.2	86	1143	75.2

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #2b: Pregnancy age 18 and 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 18 to 19 years

Denominator (Den) equals the number of females age 18 to 19 years

In North Carolina, the average rate of pregnancies for women age 18 and 19 has decreased by 33.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
NORTH CAROLINA	67.7	53.7	45.0	-33.5	6130	143182	43
ANSON	101.6	87.3	66.4	-34.7	21	246	85.4
BLADEN	86.4	86.0	82.6	-4.4	26	340	76.5
BRUNSWICK	83.3	75.3	64.1	-23.0	59	1002	58.9
CABARRUS	71.1	59.7	43.9	-38.2	107	2523	42.4
COLUMBUS	121.7	99.2	89.0	-26.9	43	607	70.8
CUMBERLAND	101.5	79.2	72.0	-29.0	292	4416	66.1
DUPLIN	102.8	80.6	88.5	-13.9	58	660	87.9
GASTON	87.0	66.5	59.6	-31.5	139	2435	57.1
HARNETT	72.5	58.2	43.2	-40.5	98	1935	50.6
HOKE	105.4	75.2	63.9	-39.4	31	575	53.9
LENOIR	92.4	78.0	78.0	-15.5	43	576	74.7
LINCOLN	75.8	54.4	49.5	-34.6	38	857	44.3
MECKLENBURG	62.1	53.7	46.7	-24.8	608	14374	42.3
MONTGOMERY	130.6	108.4	74.2	-43.2	23	300	76.7
MOORE	78.2	65.4	51.4	-34.2	44	864	50.9
NEW HANOVER	37.8	28.8	22.8	-39.8	108	4594	23.5
PENDER	80.3	65.5	53.5	-33.4	34	589	57.7
RICHMOND	129.3	90.9	99.4	-23.1	42	471	89.2
ROBESON	96.6	74.4	69.8	-27.7	135	2186	61.8
SAMPSON	110.0	107.9	82.0	-25.4	45	755	59.6
SCOTLAND	116.9	94.2	97.0	-17.0	45	402	111.9
STANLY	80.8	60.4	63.5	-21.4	33	685	48.2
UNION	49.6	34.5	25.8	-47.9	82	3824	21.4

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #2b: Pregnancy age 18 and 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 18 to 19 years

Denominator (Den) equals the number of females age 18 to 19 years

In North Carolina, the average rate of pregnancies for women age 18 and 19 has decreased by 33.5% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
NORTH CAROLINA	67.7	53.7	45.0	-33.5	6130	143182	43
BEAUFORT	103.4	71.9	53.4	-48.3	28	469	59.7
BERTIE	97.2	76.7	67.5	-30.5	19	154	123.4*
CAMDEN	52.3	33.2	29.7	-43.3	4	117	34.2*
CARTERET	71.9	51.2	38.5	-46.4	23	614	37.5
CHOWAN	113.9	67.5	48.7	-57.3	6	139	43.2*
CRAVEN	108.3	87.9	73.2	-32.4	85	1102	77.1
CURRITUCK	82.3	56.3	27.3	-66.8	6	262	22.9*
DARE	76.3	50.5	50.5	-33.8	16	319	50.2*
EDGECOMBE	129.8	98.9	92.5	-28.7	51	549	92.9
GATES	95.3	49.1	67.9	-28.8	7	111	63.1*
GREENE	85.8	92.5	68.9	-19.7	14	189	74.1*
HALIFAX	106.3	103.3	82.0	-22.8	46	544	84.6
HERTFORD	57.8	45.6	26.2	-54.6	10	442	22.6*
HYDE	120.8	45.1	55.1	-54.4	2	47	42.6*
JONES	54.3	91.3	57.0	5.0	5	84	59.5*
MARTIN	91.1	73.6	75.1	-17.6	21	227	92.5
NASH	86.0	75.4	58.1	-32.4	73	1150	63.5
NORTHAMPTON	112.0	79.9	85.1	-24.0	11	167	65.9*
ONSLow	141.3	121.2	112.1	-20.7	217	2024	107.2
PAMLICO	89.6	58.8	60.4	-32.6	3	83	36.1*
PASQUOTANK	52.8	39.0	45.6	-13.5	23	600	38.3
PERQUIMANS	75.0	84.8	66.5	-11.4	13	110	118.2*
PITT	39.5	27.4	24.1	-38.9	103	4589	22.4
TYRRELL	83.3	75.9	47.6	-42.9	1	34	29.4*
WASHINGTON	58.1	87.2	112.1	92.9	13	111	117.1*
WAYNE	104.8	78.0	73.2	-30.2	97	1477	65.7
WILSON	91.6	83.1	59.1	-35.5	56	1092	51.3
ALBEMARLE REGIONAL HEALTH SERVICES	69.8	51.3	42.1	-39.7	88	1935	45.5
MARTIN-TYRRELL-WASHINGTON DISTRICT	57.2	49.7	55.1	-3.6	35	598	58.5

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #2c: Pregnancy age 15 to 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 15 to 19 years

Denominator (Den) equals the number of females age 15 to 19 years

In North Carolina, the average rate of pregnancies for women age 15 to 19 has decreased by 35.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	36.7	28.0	23.8	-35.2	8130	338155	24.0
ALEXANDER	40.8	30.8	26.9	-34.1	21	1034	20.3
ALLEGHANY	40.4	49.3	40.7	0.8	9	249	36.1*
ASHE	47.1	31.6	22.2	-52.9	17	647	26.3*
AVERY	23.8	27.5	18.2	-23.4	8	528	15.2*
BUNCOMBE	35.6	26.2	21.6	-39.1	136	6802	20.0
BURKE	42.9	38.5	31.0	-27.7	76	2212	34.4
CALDWELL	49.4	40.1	29.5	-40.4	73	2323	31.4
CATAWBA	44.9	31.1	23.2	-48.4	123	4949	24.9
CHEROKEE	40.0	34.1	31.2	-21.9	18	678	26.5*
CLAY	33.4	24.9	32.3	-3.3	7	247	28.3*
CLEVELAND	47.4	37.6	37.3	-21.4	127	3067	41.4
GRAHAM	55.6	43.4	42.6	-23.4	12	256	46.9*
HAYWOOD	46.1	30.3	22.5	-51.2	31	1452	21.3
HENDERSON	43.0	29.0	24.0	-44.2	66	2865	23.0
JACKSON	26.1	19.2	17.6	-32.4	30	2117	14.2
MACON	45.3	33.7	33.4	-26.3	25	878	28.5
MADISON	35.5	23.3	22.5	-36.5	16	690	23.2*
MCDOWELL	46.8	37.4	30.8	-34.2	46	1208	38.1
MITCHELL	45.6	31.2	31.3	-31.4	13	354	36.7*
POLK	27.1	30.0	22.1	-18.5	13	492	26.4*
RUTHERFORD	49.3	37.6	32.6	-33.9	64	1939	33.0
SWAIN	69.8	63.5	43.0	-38.3	13	397	32.7*
TRANSYLVANIA	28.1	27.5	19.4	-30.8	14	817	17.1*
WATAUGA	8.9	6.8	5.8	-35.0	13	3170	4.1*
WILKES	47.0	46.0	35.0	-25.5	62	1929	32.1
YANCEY	54.1	39.8	35.5	-34.4	19	443	42.9*
APPALACHIAN DISTRICT	13.4	11.5	8.7	-35.2	39	5042	7.7
FOOTHILLS HEALTH DISTRICT	24.6	18.7	15.4	-37.3	123	7140	17.2
TOE RIVER DISTRICT	3.3	2.6	2.0	-38.3	40	18505	2.2

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #2c: Pregnancy age 15 to 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 15 to 19 years

Denominator (Den) equals the number of females age 15 to 19 years

In North Carolina, the average rate of pregnancies for women age 15 to 19 has decreased by 35.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	36.7	28.0	23.8	-35.2	8130	338155	24.0
ALAMANCE	36.7	26.4	21.9	-40.2	129	6744	19.1
CASWELL	35.7	31.1	27.5	-23.0	14	579	24.2*
CHATHAM	31.8	22.2	15.1	-52.5	27	2093	12.9
DAVIDSON	40.3	32.3	26.3	-34.6	128	4978	25.7
DAVIE	32.9	26.1	20.4	-37.9	23	1288	17.9
DURHAM	43.5	31.1	23.9	-45.1	246	10513	23.4
FORSYTH	38.8	28.3	23.6	-39.1	313	13914	22.5
FRANKLIN	34.9	28.1	21.9	-37.2	51	2117	24.1
GRANVILLE	40.1	28.7	27.7	-30.9	38	1670	22.8
GUILFORD	33.4	25.4	21.1	-36.7	436	21329	20.4
IREDELL	36.6	27.1	20.1	-45.0	112	5756	19.5
JOHNSTON	43.2	29.1	22.7	-47.5	156	6840	22.8
LEE	57.4	41.6	32.9	-42.6	50	1849	27.0
ORANGE	12.1	8.0	6.7	-44.6	57	7780	7.3
PERSON	50.5	46.0	39.5	-21.8	44	1071	41.1
RANDOLPH	48.0	35.9	25.7	-46.4	104	4389	23.7
ROCKINGHAM	44.6	32.9	27.5	-38.4	71	2551	27.8
ROWAN	41.8	37.9	30.9	-25.9	126	4374	28.8
STOKES	29.9	21.8	21.7	-27.4	21	1201	17.5
SURRY	41.8	31.9	31.0	-25.7	67	2103	31.9
VANCE	61.0	52.6	45.1	-26.1	65	1470	44.2
WAKE	25.2	19.5	15.7	-37.5	592	38180	15.5
WARREN	50.8	37.6	27.7	-45.4	10	487	20.5*
YADKIN	40.2	32.9	35.6	-11.4	26	1035	25.1
GRANVILLE-VANCE DISTRICT	22.4	16.9	15.1	-32.5	103	7497	13.7

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #2c: Pregnancy age 15 to 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 15 to 19 years

Denominator (Den) equals the number of females age 15 to 19 years

In North Carolina, the average rate of pregnancies for women age 15 to 19 has decreased by 35.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	36.7	28.0	23.8	-35.2	8130	338155	24.0
ANSON	56.7	43.1	35.4	-37.6	29	674	43.0
BLADEN	45.3	41.3	34.5	-23.9	32	957	33.4
BRUNSWICK	41.2	36.9	30.0	-27.2	76	2730	27.8
CABARRUS	33.0	27.6	20.1	-39.2	152	7284	20.9
COLUMBUS	56.3	47.3	40.8	-27.7	63	1673	37.7
CUMBERLAND	54.3	41.3	37.0	-31.8	367	10565	34.7
DUPLIN	53.3	43.1	42.8	-19.7	82	1766	46.4
GASTON	43.3	32.2	29.2	-32.6	189	6680	28.3
HARNETT	41.6	31.6	24.5	-41.0	125	4532	27.6
HOKE	54.1	35.1	31.4	-42.0	42	1527	27.5
LENOIR	52.1	39.5	39.5	-24.1	60	1573	38.1
LINCOLN	35.2	25.1	24.1	-31.7	56	2464	22.7
MECKLENBURG	36.4	29.8	26.1	-28.4	857	35572	24.1
MONTGOMERY	69.8	51.7	28.6	-59.0	26	888	29.3
MOORE	37.8	27.8	22.0	-41.8	58	2582	22.5
NEW HANOVER	27.2	20.3	16.3	-40.3	135	8278	16.3
PENDER	37.8	28.6	23.2	-38.7	43	1776	24.2
RICHMOND	67.7	45.8	45.8	-32.4	56	1335	41.9
ROBESON	62.9	46.8	43.1	-31.6	180	4749	37.9
SAMPSON	60.4	51.8	41.8	-30.8	64	2061	31.1
SCOTLAND	69.3	54.4	52.9	-23.7	56	981	57.1
STANLY	43.2	30.1	29.4	-32.1	45	1838	24.5
UNION	24.6	17.7	13.0	-47.1	116	10083	11.5

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #2c: Pregnancy age 15 to 19 (rate per 1,000 females)

Numerator (Num) equals number of adolescent pregnancies among females age 15 to 19 years

Denominator (Den) equals the number of females age 15 to 19 years

In North Carolina, the average rate of pregnancies for women age 15 to 19 has decreased by 35.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Rate</u>
North Carolina	36.7	28.0	23.8	-35.2	8130	338155	24.0
BEAUFORT	51.4	33.4	27.9	-45.7	42	1360	30.9
BERTIE	48.6	40.6	31.0	-36.1	24	439	54.7
CAMDEN	21.6	13.5	13.3	-38.4	6	355	16.9*
CARTERET	34.3	23.0	18.0	-47.5	31	1668	18.6
CHOWAN	56.5	35.0	26.6	-52.8	8	385	20.8*
Craven	54.7	40.9	34.9	-36.3	105	2780	37.8
CURRITUCK	42.8	23.3	10.2	-76.2	9	799	11.3*
DARE	39.1	26.0	19.4	-50.5	18	961	18.7*
EDGEcombe	66.5	50.2	42.0	-36.8	68	1601	42.5
GATES	41.9	26.0	25.9	-38.1	7	323	21.7*
GREENE	54.6	42.3	35.1	-35.7	19	529	35.9*
HALIFAX	58.6	48.5	40.6	-30.8	62	1479	41.9
HERTFORD	42.9	30.2	20.9	-51.3	19	861	22.1*
HYDE	50.0	28.0	23.6	-52.8	3	129	23.3*
JONES	32.6	36.7	25.9	-20.6	8	256	31.3*
MARTIN	46.5	38.9	36.6	-21.3	29	612	47.4
NASH	48.9	38.4	29.8	-39.1	92	2980	30.9
NORTHAMPTON	51.4	44.1	42.8	-16.7	17	452	37.6*
ONSLOW	71.9	57.8	52.0	-27.7	240	4990	48.1
PAMLICO	43.2	29.6	26.6	-38.3	3	263	11.4*
PASQUOTANK	36.9	26.4	23.4	-36.5	25	1311	19.1
PERQUIMANS	33.0	37.9	32.0	-3.2	14	328	42.7*
PITT	32.2	22.8	20.0	-37.9	146	7723	18.9
TYRRELL	46.1	42.5	30.5	-33.8	2	78	25.6*
WASHINGTON	38.7	52.1	58.9	52.2	20	325	61.5
WAYNE	55.4	40.3	38.0	-31.5	135	3840	35.2
WILSON	52.8	44.4	33.8	-36.1	83	2706	30.7
ALBEMARLE REGIONAL HEALTH SERVICES	9.1	5.9	4.2	-53.5	112	25345	4.4
MARTIN-TYRRELL-WASHINGTON DISTRICT	24.0	23.5	23.0	-4.0	51	1916	26.6

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #2d: Repeat pregnancy age 17 and under

Numerator (Num) equals the number of repeat pregnancies for teens ages 17 and under

Denominator (Den) equals the number of teen pregnancies for teens ages 17 and under

In North Carolina, the average percentage of repeat teen pregnancies has decreased by 16.6% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
NORTH CAROLINA	11.7	9.7	9.7	-16.6	207	2136	9.7
ALEXANDER	6.7*	11.1*	11.1*	66.7	0	6	0.0*
ALLEGHANY	40.0*	0.0*	0.0*	-100.0	0	4	0.0*
ASHE	9.5*	0.0*	0.0*	-100.0	0	5	0.0*
AVERY	0.0*	0.0*	0.0*	0.0	0	3	0.0*
BUNCOMBE	6.3*	0.0*	6.5	3.9	2	28	7.1*
BURKE	4.5*	4.3*	16.2*	256.8	4	18	22.2*
CALDWELL	5.6*	0.0*	9.7*	74.2	2	17	11.8*
CATAWBA	6.5*	10.3*	13.7	112.3	3	32	9.4*
CHEROKEE	16.2*	0.0*	14.3*	-11.9	0	6	0.0*
CLAY	5.5*	11.1*	8.3*	52.8	0	2	0.0*
CLEVELAND	27.3*	20.0*	4.2	-84.7	2	36	5.6*
GRAHAM	13.6*	8.1*	20.0*	46.7	0	3	0.0*
HAYWOOD	5.3*	9.1*	0.0*	-100.0	0	6	0.0*
HENDERSON	16.4*	6.5*	3.8*	-77.0	1	16	6.3*
JACKSON	16.3*	11.5*	14.8*	-8.8	1	6	16.7*
MACON	5.6*	8.8*	13.8*	145.5	0	9	0.0*
MADISON	9.2*	7.0*	10.5*	14.0	0	5	0.0*
MCDOWELL	15.7*	14.3*	5.3*	-66.5	1	11	9.1*
MITCHELL	7.3*	9.1*	5.3*	-27.8	1	4	25.0*
POLK	13.2*	4.5*	9.7*	-26.7	2	5	40.0*
RUTHERFORD	16.0*	11.5*	14.9*	-6.8	0	12	0.0*
SWAIN	12.7*	10.9*	9.5*	-24.9	0	5	0.0*
TRANSYLVANIA	14.3*	10.7*	2.6*	-81.6	0	3	0.0*
WATAUGA	16.5*	8.8*	6.7*	-59.7	0	0	0.0*
WILKES	11.9*	14.8*	14.8*	24.1	4	13	30.8*
YANCEY	12.4*	9.8*	8.7*	-29.7	0	2	0.0*
APPALACHIAN DISTRICT	16.5*	8.2*	4.7*	-71.8	0	9	0.0*
FOOTHILLS HEALTH DISTRICT	14.4*	10.0*	10.7	-25.4	2	28	7.1*
TOE RIVER DISTRICT	12.0*	9.8*	8.3*	-30.6	1	9	11.1*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #2d: Repeat pregnancy age 17 and under

Numerator (Num) equals the number of repeat pregnancies for teens ages 17 and under

Denominator (Den) equals the number of teen pregnancies for teens ages 17 and under

In North Carolina, the average percentage of repeat teen pregnancies has decreased by 16.6% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
NORTH CAROLINA	11.7	9.7	9.7	-16.6	207	2136	9.7
ALAMANCE	9.1*	7.7*	7.7	-15.4	5	37	13.5*
CASWELL	10.3*	7.7*	8.3*	-19.4	1	5	20.0*
CHATHAM	11.1*	17.6*	15.0*	35.0	1	8	12.5*
DAVIDSON	8.6*	5.3*	9.5	10.4	0	29	0.0*
DAVIE	9.8*	9.5*	6.7*	-31.7	1	7	14.3*
DURHAM	10.0*	14.6*	10.6	6.3	10	74	13.5*
FORSYTH	20.0*	10.5*	9.4	-53.0	7	94	7.4*
FRANKLIN	10.0*	15.4*	17.9*	78.6	1	12	8.3*
GRANVILLE	9.1*	12.5*	0.0*	-100.0	0	8	0.0*
GUILFORD	11.8*	13.0*	5.8	-50.6	8	110	7.3*
IREDELL	10.8*	15.7*	11.5	7.1	2	27	7.4*
JOHNSTON	10.9*	7.5*	9.3	-14.7	7	37	18.9*
LEE	15.1*	4.5*	7.5*	-50.6	1	18	5.6*
ORANGE	8.3*	7.8*	7.7*	-7.7	2	18	11.1*
PERSON	7.2*	6.8*	1.6*	-77.3	0	10	0.0*
RANDOLPH	10.5*	9.5*	3.3	-68.2	1	21	4.8*
ROCKINGHAM	10.0*	12.7*	10.2*	2.0	2	19	10.5*
ROWAN	11.4*	9.8*	13.4	17.9	2	37	5.4*
STOKES	5.7*	8.6*	6.7*	16.7	0	5	0.0*
SURRY	13.5*	10.8*	11.8*	-13.0	4	15	26.7*
VANCE	9.9*	9.2*	9.9*	-0.1	3	11	27.3*
WAKE	9.6*	8.9*	11.2	16.2	19	149	12.8*
WARREN	23.2*	11.5*	20.8*	-10.1	2	5	40.0*
YADKIN	13.4*	11.5*	7.6*	-43.6	0	5	0.0*
GRANVILLE-VANCE DISTRICT	9.8*	9.3*	7.0	-28.8	11	121	9.1*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #2d: Repeat pregnancy age 17 and under

Numerator (Num) equals the number of repeat pregnancies for teens ages 17 and under

Denominator (Den) equals the number of teen pregnancies for teens ages 17 and under

In North Carolina, the average percentage of repeat teen pregnancies has decreased by 16.6% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
NORTH CAROLINA	11.7	9.7	9.7	-16.6	207	2136	9.7
ANSON	8.3*	3.8*	0.0*	-100.0	0	8	0.0*
BLADEN	8.5*	10.8*	8.3*	-2.1	1	6	16.7*
BRUNSWICK	12.5*	0.0*	16.7*	33.3	5	18	27.8*
CABARRUS	0.0*	9.1*	6.5	0.0	2	49	4.1*
COLUMBUS	0.0*	6.1*	9.1	-	0	20	0.0*
CUMBERLAND	13.9*	4.0*	14.3	2.9	8	76	10.5*
DUPLIN	11.1*	6.9*	15.5	39.7	2	25	8.0*
GASTON	0.0*	0.0*	10.8	-	7	53	13.2*
HARNETT	2.0*	5.7*	13.6	568.2	2	30	6.7*
HOKE	8.8*	14.3*	5.7*	-35.2	0	11	0.0*
LENOIR	12.9*	6.1*	4.9*	-61.8	2	18	11.1*
LINCOLN	18.6*	11.5*	10.0*	-46.3	4	19	21.1*
MECKLENBURG	17.2*	9.2*	11.3	-34.3	24	264	9.1*
MONTGOMERY	11.1*	12.7*	3.7*	-66.7	0	3	0.0*
MOORE	18.3*	9.0*	4.7*	-74.6	2	15	13.3*
NEW HANOVER	16.2*	14.3*	8.6	-47.1	0	31	0.0*
PENDER	19.6*	4.7*	13.9*	-29.3	2	12	16.7*
RICHMOND	10.7*	16.3*	7.0*	-34.7	1	15	6.7*
ROBESON	14.5*	17.5*	11.7	-19.7	6	47	12.8*
SAMPSON	10.5*	15.8*	6.3	-40.0	4	20	20.0*
SCOTLAND	10.1*	6.0*	3.3*	-67.5	0	12	0.0*
STANLY	12.2*	11.8*	17.3*	42.0	2	13	15.4*
UNION	11.0*	12.3*	7.4	-32.3	3	37	8.1*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #2d: Repeat pregnancy age 17 and under

Numerator (Num) equals the number of repeat pregnancies for teens ages 17 and under

Denominator (Den) equals the number of teen pregnancies for teens ages 17 and under

In North Carolina, the average percentage of repeat teen pregnancies has decreased by 16.6% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average Rate</u>	<u>Average Rate</u>	<u>Average Rate</u>	<u>first 3-year</u> <u>period to most</u> <u>recent 3-year</u> <u>period</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
NORTH CAROLINA	11.7	9.7	9.7	-16.6	207	2136	9.7
BEAUFORT	0.0*	20.0*	3.4*	-	1	15	6.7*
BERTIE	33.3*	0.0*	0.0*	-100.0	0	5	0.0*
CAMDEN	0.0*	0.0*	0.0*	0.0	0	2	0.0*
CARTERET	12.0*	6.3*	0.0*	-100.0	0	8	0.0*
CHOWAN	5.6*	0.0*	0.0*	-100.0	0	2	0.0*
CRAVEN	7.1*	16.2*	7.0	-2.3	3	21	14.3*
CURRITUCK	10.7*	5.3*	25.0*	133.3	0	3	0.0*
DARE	50.0*	0.0*	0.0*	-100.0	0	2	0.0*
EDGECOMBE	5.5*	11.1*	17.8*	225.9	3	18	16.7*
GATES	14.0*	9.4*	12.5*	-10.4	0	0	0.0*
GREENE	0.0*	18.2*	0.0*	-	0	6	0.0*
HALIFAX	14.0*	6.7*	11.3*	-18.9	1	17	5.9*
HERTFORD	21.9*	10.3*	6.3*	-71.4	1	10	10.0*
HYDE	16.4*	9.8*	18.2*	11.1	0	1	0.0*
JONES	7.3*	6.3*	5.0*	-31.7	0	3	0.0*
MARTIN	12.4*	8.0*	19.4*	57.3	1	9	11.1*
NASH	12.8*	11.4*	16.4	28.2	3	23	13.0*
NORTHAMPTON	14.1*	10.4*	4.9*	-65.0	0	6	0.0*
ONSLOW	7.1*	5.6*	3.1	-56.5	0	26	0.0*
PAMLICO	10.7*	8.3*	13.0*	22.1	0	0	0.0*
PASQUOTANK	11.4*	4.8*	10.3*	-9.5	0	2	0.0*
PERQUIMANS	22.8*	8.3*	21.1*	-7.6	0	1	0.0*
PITT	10.4*	9.3*	4.3	-58.6	4	45	8.9*
TYRRELL	12.6*	17.6*	10.6*	-15.8	0	1	0.0*
WASHINGTON	12.1*	7.3*	8.3*	-31.4	1	7	14.3*
WAYNE	13.6*	12.6*	14.6	7.6	6	39	15.4*
WILSON	9.9*	11.5*	13.7	38.3	2	29	6.9*
ALBEMARLE REGIONAL HEALTH SERVICES	15.4*	6.4*	8.4	-45.4	0	56	0.0*
MARTIN-TYRRELL-WASHINGTON DISTRICT	12.7*	11.1*	10.8*	-15.1	2	17	11.8*

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #3 Reduce the Proportion of Pregnancies conceived within 18 months of previous birth

Numerator (Num) equals the number of women with interval from last delivery to conception of 18 months or less

Denominator (Den) equals the number of all births excluding first pregnancies

In North Carolina, the percentage of pregnancies conceived within 18 months of a previous birth has decreased by 4.0% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	35.9	36.0	37.3	4.0	30251	80552	37.6
ALEXANDER	35.1	37.2	43.7	12.0	109	251	43.4
ALLEGHANY	31.8	35.9	36.3	-1.9	19	50	38.0*
ASHE	41.4	37.8	37.1	-11.1	49	135	36.3
AVERY	30.7	27.6	30.6	-0.9	24	92	26.1
BUNCOMBE	31.3	35.8	31.4	-1.4	461	1500	30.7
BURKE	35.3	35.1	38.7	-3.1	231	587	39.4
CALDWELL	34.8	37.3	37.6	6.4	219	598	36.6
CATAWBA	37.6	39.7	41.2	2.6	487	1181	41.2
CHEROKEE	35.6	42.4	40.5	7.9	66	174	37.9
CLAY	29.6	35.0	50.0	48.0	35	61	57.4
CLEVELAND	38.4	37.0	41.5	0.2	331	791	41.8
GRAHAM	35.8	35.7	39.9	4.0	20	61	32.8
HAYWOOD	36.9	38.2	36.2	-4.5	118	339	34.8
HENDERSON	32.5	33.7	34.5	2.3	243	694	35.0
JACKSON	41.6	39.5	39.8	-14.4	93	246	37.8
MACON	36.9	35.8	37.9	-6.5	77	212	36.3
MADISON	29.3	39.1	29.2	2.5	31	108	28.7
MCDOWELL	36.7	34.8	39.1	-6.4	115	284	40.5
MITCHELL	33.8	38.0	32.7	-9.2	34	92	37.0
POLK	33.6	35.3	37.6	-11.8	47	117	40.2
RUTHERFORD	37.2	39.9	41.9	7.3	197	468	42.1
SWAIN	45.5	39.3	35.7	-16.2	41	121	33.9
TRANSYLVANIA	34.0	35.0	33.3	-5.9	65	177	36.7
WATAUGA	36.6	37.9	39.2	-8.6	94	212	44.3
WILKES	39.3	38.8	39.3	-9.7	200	490	40.8
YANCEY	34.2	38.6	30.6	-10.5	34	108	31.5
APPALACHIAN DISTRICT	37.7	37.5	38.1	-8.8	162	397	40.8
FOOTHILLS HEALTH DISTRICT	40.2	40.4	44.0	-2.3	359	797	45.0
TOE RIVER DISTRICT	32.9	35.2	31.3	-7.2	92	292	31.5

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #3 Reduce the Proportion of Pregnancies conceived within 18 months of previous birth

Numerator (Num) equals the number of women with interval from last delivery to conception of 18 months or less

Denominator (Den) equals the number of all births excluding first pregnancies

In North Carolina, the percentage of pregnancies conceived within 18 months of a previous birth has decreased by 4.0% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	35.9	36.0	37.3	4.0	30251	80552	37.6
ALAMANCE	32.8	29.7	34.1	-9.9	428	1276	33.5
CASWELL	33.6	31.2	36.7	-6.8	53	148	35.8
CHATHAM	31.7	33.3	36.2	1.3	149	430	34.7
DAVIDSON	34.9	37.2	39.4	1.9	482	1226	39.3
DAVIE	27.2	35.6	36.3	11.9	105	291	36.1
DURHAM	34.1	35.7	34.8	-6.4	923	2717	34.0
FORSYTH	30.8	34.1	36.7	3.5	1142	3092	36.9
FRANKLIN	35.6	37.7	36.8	-6.3	191	531	36.0
GRANVILLE	34.8	31.9	31.6	-19.5	137	393	34.9
GUILFORD	32.4	32.4	32.2	-8.8	1364	4265	32.0
IREDELL	37.2	37.8	40.3	4.1	493	1266	38.9
JOHNSTON	36.6	33.6	33.7	-14.7	596	1689	35.3
LEE	31.4	26.9	29.1	-25.1	163	529	30.8
ORANGE	32.5	35.3	34.0	-1.3	257	801	32.1
PERSON	34.2	35.7	36.3	-6.6	121	311	38.9
RANDOLPH	35.6	35.4	33.1	-12.8	372	1061	35.1
ROCKINGHAM	32.5	34.2	36.6	-4.9	248	626	39.6
ROWAN	36.3	36.3	39.1	1.0	431	1084	39.8
STOKES	27.7	34.2	36.9	10.9	94	249	37.8
SURRY	32.8	36.9	37.7	2.0	210	531	39.5
VANCE	38.1	32.9	31.4	-22.3	123	416	29.6
WAKE	34.8	34.5	37.6	-2.4	3182	8573	37.1
WARREN	38.0	37.2	30.8	-18.7	28	100	28.0
YADKIN	31.5	32.4	38.6	7.1	107	276	38.8
GRANVILLE-VANCE DISTRICT	36.6	32.4	31.5	-21.0	260	809	32.1

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #3 Reduce the Proportion of Pregnancies conceived within 18 months of previous birth

Numerator (Num) equals the number of women with interval from last delivery to conception of 18 months or less

Denominator (Den) equals the number of all births excluding first pregnancies

In North Carolina, the percentage of pregnancies conceived within 18 months of a previous birth has decreased by 4.0% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	35.9	36.0	37.3	4.0	30251	80552	37.6
ANSON	40.2	37.5	39.5	4.4	58	176	33.0
BLADEN	37.1	36.3	36.2	-3.3	87	249	34.9
BRUNSWICK	35.3	33.0	34.1	-12.5	239	667	35.8
CABARRUS	34.2	36.2	39.3	4.8	716	1791	40.0
COLUMBUS	33.3	36.4	34.0	-4.7	118	351	33.6
CUMBERLAND	37.9	38.5	41.6	-1.7	1457	3499	41.6
DUPLIN	35.6	33.9	33.9	-11.2	174	518	33.6
GASTON	38.2	38.8	39.1	-6.1	737	1774	41.5
HARNETT	36.3	36.0	36.0	-9.5	492	1289	38.2
HOKE	37.6	38.3	39.1	-2.9	243	614	39.6
LENOIR	38.7	39.0	38.0	1.6	153	438	34.9
LINCOLN	36.6	40.0	40.7	-0.7	260	597	43.6
MECKLENBURG	36.9	37.0	38.6	-2.9	3709	9489	39.1
MONTGOMERY	34.7	38.6	37.4	8.7	68	203	33.5
MOORE	38.3	39.6	40.6	2.0	332	799	41.6
NEW HANOVER	39.8	35.5	33.5	-17.9	481	1440	33.4
PENDER	39.5	34.1	36.2	-12.6	170	430	39.5
RICHMOND	40.3	36.4	38.0	-9.6	142	380	37.4
ROBESON	33.4	32.1	33.8	-11.4	429	1195	35.9
SAMPSON	35.2	30.8	23.6	-35.7	141	524	26.9
SCOTLAND	37.0	38.0	39.8	-6.0	142	309	46.0
STANLY	37.5	37.2	40.4	-6.1	204	467	43.7
UNION	37.0	35.6	39.3	-1.7	639	1644	38.9

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH OO #3 Reduce the Proportion of Pregnancies conceived within 18 months of previous birth

Numerator (Num) equals the number of women with interval from last delivery to conception of 18 months or less

Denominator (Den) equals the number of all births excluding first pregnancies

In North Carolina, the percentage of pregnancies conceived within 18 months of a previous birth has decreased by 4.0% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	35.9	36.0	37.3	4.0	30251	80552	37.6
BEAUFORT	35.8	34.1	36.1	-4.6	111	310	35.8
BERTIE	37.4	36.7	36.1	-17.2	46	107	43.0
CAMDEN	39.5	32.8	35.7	4.1	24	78	30.8
CARTERET	38.7	35.2	35.9	-11.2	143	360	39.7
CHOWAN	41.5	35.0	37.7	-17.7	29	83	34.9
CRAVEN	39.7	37.6	41.7	-4.1	357	864	41.3
CURRITUCK	35.7	34.5	34.9	-16.7	71	189	37.6
DARE	30.5	28.8	29.1	-12.8	59	202	29.2
EDGECOMBE	40.2	40.5	39.3	-12.8	172	410	42.0
GATES	32.7	30.2	32.8	-8.2	13	56	23.2*
GREENE	37.0	36.9	34.3	-7.5	55	152	36.2
HALIFAX	38.3	33.8	37.0	-7.5	149	393	37.9
HERTFORD	38.8	37.2	38.7	-13.8	58	143	40.6
HYDE	29.9	35.6	33.8	19.9	10	28	35.7*
JONES	39.0	35.8	40.2	2.8	25	64	39.1
MARTIN	36.1	32.4	36.2	-11.9	63	152	41.4
NASH	38.1	40.4	38.1	-3.4	290	775	37.4
NORTHAMPTON	41.0	35.4	36.1	-18.3	45	122	36.9
ONSLOW	40.9	41.1	44.4	2.2	1047	2324	45.1
PAMLICO	34.3	28.4	38.1	-2.2	19	45	42.2*
PASQUOTANK	37.1	36.7	36.2	-4.7	130	345	37.7
PERQUIMANS	32.7	38.4	37.7	23.2	33	92	35.9
PITT	39.5	39.8	39.9	-2.8	567	1446	39.2
TYRRELL	30.1	34.7	28.6	-4.7	5	21	23.8*
WASHINGTON	41.2	32.9	37.0	-19.7	36	97	37.1
WAYNE	40.2	39.6	38.0	-10.1	435	1141	38.1
WILSON	36.7	35.6	36.2	-5.1	229	680	33.7
ALBEMARLE REGIONAL HEALTH SERVICES	37.2	35.8	36.4	-8.8	404	1093	37.0
MARTIN-TYRRELL-WASHINGTON DISTRICT	25.6	22.7	25.4	-6.1	104	402	25.9

(*)rates based on small numbers (fewer than 20 cases) are unstable. Please use caution when interpreting these rates.

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH OO #4 Increase Access to the Most Effective Contraceptives

<u>County/District Health Department</u>	<u>CY 2018</u>	<u>CY 2019</u>	<u>CY 2020</u>	<u>Total Effective Contraceptive Access</u>
ALEXANDER	2	2	2	2 of 2
ALLEGHANY	2	2	2*	2 of 2
ASHE	2	2	2*	2 of 2
AVERY	2	2	2*	2 of 2
BUNCOMBE	2	2	2	2 of 2
BURKE	2	2	2	2 of 2
CALDWELL	2	2	2	2 of 2
CATAWBA	2	2	2	2 of 2
CHEROKEE	2	2	2	2 of 2
CLAY	2	2	2	2 of 2
CLEVELAND	2	2	2	2 of 2
GRAHAM	1	1	1	1 of 2
HAYWOOD	2	2	2	2 of 2
HENDERSON	2	2	2	2 of 2
JACKSON	2	2	2	2 of 2
MACON	2	2	2	2 of 2
MADISON	2	2	2	2 of 2
MCDOWELL	0	2	2*	2 of 2
MITCHELL	2	2	2*	2 of 2
RUTHERFORD	0	2	2*	2 of 2
SWAIN	2	2	2	2 of 2
TRANSYLVANIA	2	2	2	2 of 2
WATAUGA	2	2	2*	2 of 2
WILKES	2	2	2	2 of 2
YANCEY	2	2	2*	2 of 2

0 - No IUD or Hormonal Implant methods offered onsite

1 - At least one IUD or Hormonal Implant method offered onsite

2 - IUD and Hormonal Implant methods offered onsite

*2020 data unavailable, 2019 data used

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH OO #4 Increase Access to the Most Effective Contraceptives

<u>County/District Health Department</u>	<u>CY 2018</u>	<u>CY 2019</u>	<u>CY 2020</u>	<u>Total Effective Contraceptive Access</u>
ALAMANCE	2	2	2	2 of 2
CASWELL	2	2	2	2 of 2
CHATHAM	2	2	2	2 of 2
DAVIDSON	2	2	2	2 of 2
DAVIE	2	0	0	0 of 2
DURHAM	2	2	2	2 of 2
FORSYTH	2	2	2	2 of 2
FRANKLIN	1	2	2	2 of 2
GRANVILLE	2	2	2*	2 of 2
GUILFORD	2	2	2	2 of 2
IREDELL	1	1	2	2 of 2
JOHNSTON	2	2	2	2 of 2
LEE	2	2	2	2 of 2
ORANGE	2	2	2	2 of 2
PERSON	1	1	1	1 of 2
RANDOLPH	2	2	2	2 of 2
ROCKINGHAM	2	2	2	2 of 2
ROWAN	1	1	1	1 of 2
STOKES	2	2	2	2 of 2
SURRY	2	2	2	2 of 2
VANCE	2	2	2*	2 of 2
WAKE	2	2	2	2 of 2
WARREN	2	2	2	2 of 2
YADKIN	2	2	2	2 of 2

0 - No IUD or Hormonal Implant methods offered onsite

1 - At least one IUD or Hormonal Implant method offered onsite

2 - IUD and Hormonal Implant methods offered onsite

*2020 data unavailable, 2019 data used

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH OO #4 Increase Access to the Most Effective Contraceptives

<u>County/District Health Department</u>	<u>CY 2018</u>	<u>CY 2019</u>	<u>CY 2020</u>	<u>Total Effective Contraceptive Access</u>
ANSON	2	2	2	2 of 2
BLADEN	0	2	2	2 of 2
BRUNSWICK	2	2	2	2 of 2
CABARRUS	2	2	2	2 of 2
COLUMBUS	2	2	2	2 of 2
CUMBERLAND	2	2	2*	2 of 2
DUPLIN	1	1	1	1 of 2
GASTON	2	2	2	2 of 2
HARNETT	2	2	2	2 of 2
HOKE	2	2	2	2 of 2
LENOIR	2	2	2	2 of 2
LINCOLN	1	1	1	1 of 2
MECKLENBURG	2	2	2	2 of 2
MONTGOMERY	2	2	2	2 of 2
MOORE	2	2	2	2 of 2
NEW HANOVER	1	1	2	2 of 2
PENDER	2	2	2	2 of 2
RICHMOND	2	2	2	2 of 2
ROBESON	2	2	2	2 of 2
SAMPSON	2	2	2	2 of 2
SCOTLAND	0	2	2	2 of 2
STANLY	2	2	2*	2 of 2
UNION	2	2	2	2 of 2

0 - No IUD or Hormonal Implant methods offered onsite

1 - At least one IUD or Hormonal Implant method offered onsite

2 - IUD and Hormonal Implant methods offered onsite

*2020 data unavailable, 2019 data used

FY 22 Agreement Adenda
WH Consultant Region # 4
FPRH OO #4 Increase Access to the Most Effective Contraceptives

<u>County/District Health Department</u>	<u>CY 2018</u>	<u>CY 2019</u>	<u>CY 2020</u>	<u>Total Effective Contraceptive Access</u>
BEAUFORT	2	2	2	2 of 2
BERTIE	2	2	2*	2 of 2
CAMDEN	2	2	2*	2 of 2
CARTERET	2	2	2	2 of 2
CHOWAN	2	2	2*	2 of 2
CRAVEN	2	2	2	2 of 2
CURRITUCK	2	2	2*	2 of 2
DARE	2	2	2	2 of 2
EDGECOMBE	2	2	2*	2 of 2
GATES	2	2	2*	2 of 2
GREENE	2	2	2	2 of 2
HALIFAX	2	2	2	2 of 2
HERTFORD	2	2	2*	2 of 2
HYDE	2	2	0	0 of 2
JONES	2	2	2	2 of 2
MARTIN	2	2	2*	2 of 2
NASH	1	1	2	2 of 2
NORTHAMPTON	2	2	2	2 of 2
ONslow	2	2	2	2 of 2
PAMLICO	0	0	0	0 of 2
PASQUOTANK	2	2	2*	2 of 2
PERQUIMANS	2	2	2*	2 of 2
PITT	2	2	2*	2 of 2
TYRRELL	2	2	2*	2 of 2
WASHINGTON	2	2	2*	2 of 2
WAYNE	1	1	1	1 of 2
WILSON	2	2	2	2 of 2

0 - No IUD or Hormonal Implant methods offered onsite

1 - At least one IUD or Hormonal Implant method offered onsite

2 - IUD and Hormonal Implant methods offered onsite

*2020 data unavailable, 2019 data used

FY 22 Agreement Adenda

WH Consultant Region # 1

FPRH 00 #5 Reduce the percentage of Unintended Pregnancy

Numerator (Num) equals the number of unintended pregnancies as defined by the sum of abortions, births to teens 18 years old or younger, and out-of-wedlock births to women over 18 years of age

Denominator (Den) equals the number of pregnancies (excluding fetal deaths)

In North Carolina, the average percentage of unintended pregnancy has increased by 1.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	50.2	50.1	50.8	1.2	73025	142220	51.3
ALEXANDER	42.5	45.1	42.7	0.5	183	400	45.8
ALLEGHANY	44.8	48.4	56.7	26.5	49	89	55.1
ASHE	36.4	39.3	40.3	10.6	95	223	42.6
AVERY	33.6	36.9	41.3	22.8	52	145	35.9
BUNCOMBE	48.1	47.7	38.1	-20.6	1367	2929	46.7
BURKE	51.5	53.7	43.0	-16.7	521	978	53.3
CALDWELL	50.0	50.8	43.4	-13.2	481	942	51.1
CATAWBA	51.1	52.3	43.1	-15.7	1000	1910	52.4
CHEROKEE	39.4	39.9	42.8	8.6	116	256	45.3
CLAY	32.6	29.7	50.6	55.4	44	92	47.8
CLEVELAND	57.4	57.3	47.4	-17.3	758	1301	58.3
GRAHAM	37.7	34.4	48.5	28.6	34	99	34.3
HAYWOOD	47.1	44.2	38.0	-19.4	231	571	40.5
HENDERSON	42.8	42.9	35.2	-17.7	482	1139	42.3
JACKSON	52.6	49.8	45.8	-12.8	207	406	51.0
MCDOWELL	47.0	46.1	44.5	-5.1	215	460	46.7
MACON	42.9	42.4	46.1	7.4	156	342	45.6
MADISON	63.1	62.6	39.2	-37.8	80	203	39.4
MITCHELL	38.8	35.3	38.8	0.0	47	133	35.3
POLK	43.3	44.3	50.0	15.6	82	183	44.8
RUTHERFORD	52.7	53.7	47.4	-10.0	408	744	54.8
SWAIN	57.7	59.0	57.3	-0.7	116	196	59.2
TRANSYLVANIA	44.7	42.5	42.8	-4.3	136	287	47.4
WATAUGA	36.6	33.2	33.1	-9.6	142	384	37.0
WILKES	43.9	45.9	44.7	1.7	376	733	51.3
YANCEY	42.7	34.7	38.3	-10.3	66	182	36.3
APPALACHIAN DISTRICT	37.5	37.2	38.6	2.9	286	696	41.1
FOOTHILLS HEALTH DISTRICT	49.9	50.3	46.8	-6.2	705	1387	50.8
TOE RIVER DISTRICT	38.6	35.6	39.5	2.3	165	460	35.9

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 2

FPRH 00 #5 Reduce the percentage of Unintended Pregnancy

Numerator (Num) equals the number of unintended pregnancies as defined by the sum of abortions, births to teens 18 years old or younger, and out-of-wedlock births to women over 18 years of age

Denominator (Den) equals the number of pregnancies (excluding fetal deaths)

In North Carolina, the average percentage of unintended pregnancy has increased by 1.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	50.2	50.1	50.8	1.2	73025	142220	51.3
ALAMANCE	56.1	55.1	45.0	-19.8	1237	2227	55.5
CASWELL	54.4	55.7	53.8	-1.1	133	235	56.6
CHATHAM	45.8	42.0	33.3	-27.3	268	678	39.5
DAVIDSON	47.7	48.8	41.0	-14.1	974	1969	49.5
DAVIE	40.3	44.5	36.5	-9.6	178	441	40.4
DURHAM	53.1	51.5	40.0	-24.8	2576	5098	50.5
FORSYTH	54.3	55.0	44.1	-18.8	2968	5293	56.1
FRANKLIN	51.9	51.8	42.9	-17.2	430	872	49.3
GRANVILLE	55.3	56.9	46.1	-16.7	389	706	55.1
GUILFORD	55.8	58.0	45.6	-18.3	4658	7810	59.6
IREDELL	46.7	46.8	38.5	-17.7	1014	2165	46.8
JOHNSTON	46.4	45.9	36.6	-21.0	1269	2852	44.5
LEE	56.6	56.0	45.6	-19.4	526	928	56.7
ORANGE	41.7	44.2	34.3	-17.9	562	1403	40.1
PERSON	59.8	59.1	52.4	-12.4	309	510	60.6
RANDOLPH	49.6	50.0	39.4	-20.5	846	1724	49.1
ROCKINGHAM	53.9	55.6	46.3	-14.1	597	1046	57.1
ROWAN	53.5	55.3	45.3	-15.4	1031	1802	57.2
STOKES	41.0	41.4	41.6	1.3	182	405	44.9
SURRY	42.9	43.9	41.4	-3.4	405	841	48.2
VANCE	71.9	74.3	59.1	-17.8	519	699	74.2
WAKE	42.1	41.4	35.0	-16.9	6711	15666	42.8
WARREN	71.1	70.7	67.4	-5.3	136	175	77.7
YADKIN	43.0	42.0	38.6	-10.2	173	398	43.5
GRANVILLE-VANCE DISTRICT	63.7	65.4	52.7	-17.2	908	1405	64.6

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 3

FPRH 00 #5 Reduce the percentage of Unintended Pregnancy

Numerator (Num) equals the number of unintended pregnancies as defined by the sum of abortions, births to teens 18 years old or younger, and out-of-wedlock births to women over 18 years of age

Denominator (Den) equals the number of pregnancies (excluding fetal deaths)

In North Carolina, the average percentage of unintended pregnancy has increased by 1.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from first 3-year period to most recent 3-year period</u>	<u>CY 2019</u>		
	<u>Average Percentage</u>	<u>Average Percentage</u>	<u>Average Percentage</u>		<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
North Carolina	50.2	50.1	50.8	1.2	73025	142220	51.3
ANSON	71.7	73.0	60.0	-16.2	221	301	73.4
BLADEN	61.9	62.5	52.5	-15.1	241	391	61.6
BRUNSWICK	47.5	49.3	42.7	-10.0	575	1144	50.3
CABARRUS	44.4	45.3	37.8	-14.9	1413	3011	46.9
COLUMBUS	64.6	64.0	50.3	-22.1	394	634	62.1
CUMBERLAND	47.9	48.5	41.2	-14.0	3487	6869	50.8
DUPLIN	59.6	59.5	49.8	-16.5	489	797	61.4
GASTON	53.6	53.5	44.6	-16.8	1722	3047	56.5
HARNETT	42.7	40.9	36.9	-13.6	930	2125	43.8
HOKE	41.5	39.1	38.1	-8.2	448	999	44.8
LENOIR	67.5	65.6	54.7	-19.0	532	758	70.2
LINCOLN	43.3	41.7	37.1	-14.3	385	948	40.6
MECKLENBURG	51.8	51.6	42.6	-17.8	10064	18708	53.8
MONTGOMERY	56.6	57.3	51.2	-9.5	184	313	58.8
MOORE	44.4	40.5	31.9	-28.2	439	1278	34.4
NEW HANOVER	52.5	51.1	41.6	-20.7	1387	2689	51.6
PENDER	46.9	44.7	40.0	-14.7	337	717	47.0
RICHMOND	66.5	67.2	56.6	-14.8	431	638	67.6
ROBESON	73.5	71.6	54.0	-26.6	1421	1967	72.2
SAMPSON	59.0	59.2	48.8	-17.4	525	833	63.0
SCOTLAND	75.8	75.9	61.6	-18.8	390	509	76.6
STANLY	49.3	49.5	41.1	-16.7	360	750	48.0
UNION	40.4	38.6	32.3	-20.2	1006	2580	39.0

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.

FY 22 Agreement Adenda

WH Consultant Region # 4

FPRH 00 #5 Reduce the percentage of Unintended Pregnancy

Numerator (Num) equals the number of unintended pregnancies as defined by the sum of abortions, births to teens 18 years old or younger, and out-of-wedlock births to women over 18 years of age

Denominator (Den) equals the number of pregnancies (excluding fetal deaths)

In North Carolina, the average percentage of unintended pregnancy has increased by 1.2% since CY11-CY13.

<u>County/District Health Department</u>	<u>CY 11-CY13</u>	<u>CY 14-CY16</u>	<u>CY17- CY19</u>	<u>% change from</u>	<u>CY 2019</u>		
	<u>Average</u>	<u>Average</u>	<u>Average</u>	<u>first 3-year</u>	<u>Numerator</u>	<u>Denominator</u>	<u>Percent</u>
	<u>Percentage</u>	<u>Percentage</u>	<u>Percentage</u>	<u>period to most</u>			
				<u>recent 3-year</u>			
				<u>period</u>			
North Carolina	50.2	50.1	50.8	1.2	73025	142220	51.3
BEAUFORT	59.2	58.8	50.7	-14.4	307	493	62.3
BERTIE	71.5	74.5	61.3	-14.2	141	193	73.1
CAMDEN	41.1	32.4	26.7	-35.1	36	116	31.0
CARTERET	44.9	43.6	38.4	-14.4	248	583	42.5
CHOWAN	62.1	59.0	61.3	-1.4	78	132	59.1
CRAVEN	37.6	38.7	34.5	-8.3	638	1509	42.3
CURRITUCK	50.7	42.0	21.3	-57.9	113	296	38.2
DARE	51.9	48.0	43.6	-16.0	169	366	46.2
EDGECOMBE	77.6	78.7	59.1	-23.9	575	735	78.2
GATES	54.5	56.2	57.8	6.0	52	104	50.0
GREENE	57.7	61.4	56.2	-2.7	168	270	62.2
HALIFAX	76.5	74.8	58.9	-23.0	505	672	75.1
HERTFORD	70.9	72.1	61.2	-13.6	173	238	72.7
HYDE	34.8	37.6	69.4	99.4	25	41	61.0
JONES	53.8	53.0	58.6	8.9	54	104	51.9
MARTIN	45.8	45.7	52.6	14.9	177	251	70.5
NASH	64.0	64.0	52.4	-18.1	918	1385	66.3
NORTHAMPTON	77.1	76.0	63.1	-18.2	144	198	72.7
ONSLOW	25.8	27.6	26.2	1.7	1285	4300	29.9
PAMLICO	58.1	55.3	61.6	5.9	43	82	52.4
PASQUOTANK	56.9	57.2	48.9	-14.1	322	538	59.9
PERQUIMANS	53.1	50.0	60.7	14.3	85	131	64.9
PITT	57.6	58.6	47.1	-18.3	1492	2515	59.3
TYRRELL	22.5	54.3	94.7	321.7	24	36	66.7
WASHINGTON	72.5	72.8	74.0	2.0	125	154	81.2
WAYNE	55.2	54.4	44.2	-19.9	1065	1922	55.4
WILSON	66.2	64.6	49.9	-24.6	745	1178	63.2
ALBEMARLE REGIONAL HEALTH SERVICES	59.0	57.3	49.1	-16.7	1000	1748	57.2
MARTIN-TYRRELL-WASHINGTON DISTRICT	50.2	51.9	62.9	25.3	326	441	73.9

Note: The number of induced termination of pregnancy (abortion) forms submitted to the State Center for Health Statistics (SCHS) was underreported from 2011-2014. Please use caution when interpreting abortion and pregnancy numbers and rates from 2011-2014.